

RETAIL

PRICE LIST 2026

EFFECTIVE AUGUST 2026



ABOUT US

IndoAsian, an Indian-origin brand **established in 1958**, has been a pioneer in electrical safety and innovation, trusted for delivering reliable, high quality solutions that empower homes, businesses, and communities.

With industry leading milestones such as introducing **6kA MCBs and RCCBs in India**, the brand has consistently set new standards in protection and performance. Its association with Group Legrand India further strengthened its innovation capabilities and expanded its reach, allowing IndoAsian to offer world class electrical and digital infrastructure.

Guided by the motto “**Enriching quality of life by ensuring safe, efficient and convenient use of electricity,**” the brand continues to uphold strong values, customer first innovation, and ethical, sustainable practices focused on **renewable energy and reducing environmental impact.**



CONTENT

Shynora WIRING ACCESSORIES	04-18
Glint™ WIRING ACCESSORIES	19-25
ELVIRA WIRING ACCESSORIES	26-32
Doorsta DING DONG DOORBELL	33-34
PL9 PLUGS	34
Zosta™ EXHAUST FANS	36
BULB HOLDER / CEILING ROSE	37-38
Caretron™ MINIATURE CIRCUIT BREAKER (MCBS)	39-42
Caretron™ ISOLATOR	43
Caretron™ RESIDUAL CURRENT CIRCUIT BREAKER (RCCBS)	43-44
—optipro— MINIATURE CIRCUIT BREAKER (MCBS)	45-46
—optipro— ISOLATOR	47
AUTOMATIC CHANGEOVER WITH CURRENT LIMITER (ACCL)	47
Caretron™ DISTRIBUTION BOARDS (DBs)	48-51
BUSBAR CHAMBER	51-52
TIME SWITCHES	53
—optium— MCCB - 1.0 (FIXED TM RANGE)	54-57
—optium— MCCB - 1.1 (FIXED TM RANGE)	58
—optium— MCCB - 2.0 (ADJUSTABLE TM RANGE)	58-61
—optium— MCCB ACCESSORIES	61-63
—optinova— SWITCH DISCONNECTOR / TSE (ON LOAD CHANGEOVER)	64-67
HRC FUSE LINKS & BASES	67-69
SWITCH DISCONNECTOR FUSES	69
Ambidex CHANGEOVER SWITCHES	70-71

Add a touch of shine to your life



Scan to know more about the product

Shynora provides modular wiring device range blending elegant design with functionality for homes and commercial spaces.

Features

- Switches tested for up to 1 lakh on/off operations along with safety shuttered sockets
- Complete range of electronics, hospitality solutions and fast USB charging options (Type C 20W PD)
- High grade flame retardant polycarbonate material with laser etched markings
- Ranges tested for best-in-class quality with ISI, CRS & RoHS certification

Benefits

- Delivers long term value through high cycle durability testing
- Stylish design enhancing living spaces aesthetically
- Modular design offering flexibility & durability
- Assured quality with safety compliance and dependable performance

Shynora

Mechanisms White

Switches: • Polycarbonate Material • LED Based Indicator • Shrouded Terminal • ISI Marked •



Switches 6A 230 V AC

HSN Code: 8536

 810600  810604  810605	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810600	6A 1 way Switch	1	50	1/20/400
	810610	6A 2 way Switch	1	108	1/20/200
	810602	6A 1 way Switch with Indicator	1	106	1/20/200
	810604	6A 1 way Switch with "Light" Marking	1	106	1/20/200
	810605	6A 1 way Switch with "Fan" Marking	1	106	1/20/200

Switches 10A 230 V AC

HSN Code: 8536

 810673  810674  810675	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810673	10A 1 way Switch	1	56	1/20/200
	810674	10A 2 way Switch	1	122	1/20/200
	810675	10A 1 way Switch with Indicator	1	110	1/20/200


Switches 16A 230 V AC

HSN Code: 8536

 810601  810611	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810601	16A 1 way Switch	1	140	1/20/200
	810611	16A 2 way Switch	1	180	1/10/100
	810603	16A 1 way Switch with Indicator	1	164	1/20/200

Switches 20A 230V AC

HSN Code: 8536

 810606  810607  810612	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810606	20A 1 way Switch	1	178	1/20/200
	810607	20A 1 way Switch with Indicator	1	204	1/20/200
	810609	20A SP 1 way Switch	2	254	1/10/100
	810612	20A DP switch with Indicator	2	246	1/10/100

Switches 25A 230 V AC

HSN Code: 8536

 810608	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810608	25A 1 way Switch with Indicator	1	246	1/20/200

Switches 32A 230 V AC

HSN Code: 8536

 810613	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	810613	32A DP switch with indicator	2	340	1/10/100

Control for Energy Efficient Fans

NEW



NEW



Scan to know more about the product

BLDC Fan Regulator enables smooth and efficient speed regulation for BLDC ceiling fans (non-remote), helping optimize comfort and power usage in modern homes. Designed to integrate seamlessly with modular wiring devices, it combines precise control with refined aesthetics.

Features

- Designed for non-remote BLDC ceiling fans 1200mm sweep
- Special designed speed control mechanism for enhanced fan speed regulation
- Modular design for seamless compatibility with Shynora range.

Compatible with Atomberg (Efficio), Havells (Eficiencia Neo) and Orient (Aerostorm) as per 2023 fan models.

Benefits

- Delivers higher energy efficiency than conventional fan regulators
- Provides effortless and efficient speed control for enhanced comfort
- Complements modern interiors with a modular design

Shynora

Bell Push Button 6A 230 V AC

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810615	6A Bell Push Switch	1	112	1/20/200
810616	6A Bell Push Switch with Indicator	1	130	1/20/200
810617	6A Bell Push Switch with Indicator	2	200	1/10/100

Accessories for Switches

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810650	LED Indicator for switch	-	48	1/5/25

Indian Standard Sockets 240 V AC

HSN Code: 8536
Sockets: • Child Safety Shutter • Shrouded Terminals • Smooth Plug Removal & Insertion


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810620	6A 3 pin Round Socket with shutter (ISI mark)	2	140	1/20/200
810621	6A/16A 3 pin socket with shutter (ISI Mark)	2	264	1/20/200

Dimmers and Fan Regulators • Laser Marking

HSN Code: 8538 & 8414


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810641	Light Dimmer - 400W	1	522	1/10/100
810642	Light Dimmer - 500W	2	670	1/10/100
810638	Fan 4 Step Regulator 100W (ISI mark)	1	496	1/10/100
810639	Fan Step Regulator 360 deg 100W (ISI mark)	2	644	1/10/100
810640	Fan 8 step Regulator 100W (ISI mark)	2	752	1/10/100
810679	Fan Regulator - BLDC - 2 Module* ^{NEW}	2	918	1/10/100

*Will be available from Sept 26 onwards.

^Compatible with Atomberg (Efficio), Havells (Efficiencia Neo) and Orient (Aerostorm) as per 2023 fan models.

Skirting Light

HSN Code: 9405


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810649	Skirting Light	2	502	1/5/50

Indicator

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810645	Flat Indicator Red	1	160	1/20/200

Shynora

Bell Call Indicator

HSN Code: 8536



810644

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810644	Bell Call Indicator	1	860	1/20/100

Buzzer

HSN Code: 8536



810637

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810637	Buzzer - 230V	1	338	1/20/100

Hospitality Function

Hotel Keycard Switch

HSN Code: 8538



810614



810646

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810614	32A DP Keytag Switch (Mechanical)	2	624	1/10
810678	Keytag for (810614)		280	1/10/100
810646	Key Card SW 15A + KEY FOB	2	3020	1/10

Hotel "DND and MMR" Functions

HSN Code: 8538



810647



810648

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810647	DND Internal Unit	2	394	1/10/100
810648	DND External Unit	2	476	1/10/100

Shaver Socket

HSN Code: 8538



810666

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810666	Shaver Socket	4	5164	1/5/20

Sockets and Connectors

TV Socket

HSN Code: 8536



810633

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810633	TV Socket	1	136	1/20/200

Data & Voice

HSN Code: 8536



810631



810632

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810631	Telephone Socket - RJ11 with shutter	1	134	1/20/200
810632	Computer Socket - RJ45 Cat 6 with shutter	1	762	1/20/200

Shynora

Sound (Electronic Bell)

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810643	Electronic Bell	2	452	1/10/100

Protectors and Accessories

Motor Starter

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810664	16A MOTOR STARTER	2	696	10/50
810665	25A MOTOR STARTER	2	696	10/50

Modular MCB (IS : 608981:2002) • ISI Mark

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810654	6A MINI MCB SP C CURVE	1	528	1/1/100
810655	10A MINI MCB SP C CURVE	1	528	1/1/100
810656	16A MINI MCB SP C CURVE	1	528	1/1/100
810657	20A MINI MCB SP C CURVE	1	528	1/1/100
810658	25A MINI MCB SP C CURVE	1	528	1/1/100
810659	32A MINI MCB SP C CURVE	1	528	1/1/100
810660	16A MINI MCB DP C CURVE	2	936	1/1/100
810661	20A MINI MCB DP C CURVE	2	936	1/1/100
810662	25A MINI MCB DP C CURVE	2	936	1/1/100
810663	32A MINI MCB DP C CURVE	2	936	1/1/100

Power Unit

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810625	Power Unit With 20A MCB & 16A Plug	3	1258	1/10
810626	Power Unit With 25A MCB & 16A Plug	3	1348	1/10

Effortless charging, simplified living



Scan to know more
about the product

Shynora USB Chargers deliver fast, safe charging with new Type C PD (20W) along with Type A+C options with CRS certified and RoHS compliant.

Features

- Type C PD 20W fast charging along with Type A+C(15W) charging option
- CRS certified with RoHS compliance
- Dual port option Type A+C(15W) USB charging

Benefits

- Reduces cable clutter with versatile Type A/C/A+C port options
- Ensures fast charging to maintain continuous operation
- Matches Shynora aesthetics in white/cool grey mechanisms

Shynora

Electronic Function

USB Chargers (IS13252 (Part 1) / IEC 60950-1) • CRS Certified

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810652	USB Charger 1500mA Type A	1	1172	1/10/100
810676	USB Charger Type C 20W PD	1	3180	1/10/100
810677	USB Charger 3000mA, 15W Type A+C	1	2396	1/10/100
810669	Double USB Charger 3000mA, 15W Type A+C	2	2134	1/10/100

Accessories

HSN Code: 8538


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810667	1 Module Blank Plate	1	34	1/40/400
810668	Cable Outlet	1	110	1/20/100

Cool Grey Mechanisms

Switches: • Polycarbonate Material • LED Based Indicator • Shrouded Terminal • ISI Marked •


Switches 6A 230 V AC

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810700	6A 1 way Switch	1	58	1/20/400
810710	6A 2 way Switch	1	124	1/20/200
810702	6A 1 way Switch with Indicator	1	118	1/20/200
810704	6A 1 way Switch with Light Marking	1	126	1/20/200
810705	6A 1 way Switch with Fan Marking	1	126	1/20/200

Switches 16A 230 V AC

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810701	16A 1 way Switch	1	166	1/20/200
810711	16A 2 way Switch	1	216	1/10/100
810703	16A 1 way Switch with Indicator	1	178	1/20/200

Switches 20A 230V AC

HSN Code: 8536


Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810706	20A 1 way Switch	1	206	1/20/200
810707	20A 1 way Switch with Indicator	1	238	1/20/200
810709	20A SP 1 way Switch	2	292	1/10/100
810712	20A DP switch with Indicator	2	282	1/10/100

Shynora

Switches 25A 230 V AC

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810708	810708	25A 1 way Switch with Indicator	1	274	1/20/200

Switches 32A 230 V AC

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810713	810713	32A DP switch with indicator	2	392	1/10/100

Bell Push Button 6A 230 V AC

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810715	810715	6A Bell Push Switch	1	132	1/20/200
	810716	6A Bell Push Switch with Indicator	1	144	1/20/200
	810717	6A Bell Push Switch with Indicator	2	210	1/10/100

Indian Standard Sockets 240 V AC

HSN Code: 8536
Sockets: • Child Safety Shutter • Shrouded Terminals • Smooth Plug Removal & Insertion

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810720	810720	6A 3 pin Round Socket with shutter (ISI mark)	2	166	1/20/200
	810721	6A/16A 3 pin socket with shutter (ISI Mark)	2	306	1/20/200

Dimmers & Fan Regulators • Laser Marking

HSN Code: 8538 & 8414

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810741	810741	Light Dimmer - 400W	1	598	1/10/100
	810742	Light Dimmer - 500W	2	786	1/10/100
	810738	Fan Step Regulator 100W (ISI mark)	1	572	1/10/100
	810739	Fan Step Regulator 360 deg 100W (ISI mark)	2	752	1/10/100
	810740	Fan 8 step Regulator 100W (ISI mark)	2	910	1/10/100
	810779	Fan Regulator - BLDC - 2 Module* ^{NEW}	2	1104	1/10/100

*Will be available from Sept 26 onwards.

^Compatible with Atomberg (Efficio), Havells (Efficiencia Neo) and Orient (Aerostorm) as per 2023 fan models.

Skirting Light

HSN Code: 9405

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810749	810749	Skirting Light	2	548	1/5/50

Shynora

Indicator

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810745	810745	Flat Indicator Red	1	172	1/20/200

Buzzer

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810737	810737	Buzzer - 230V	1	390	1/20/100

Hospitality Function

Hotel Keycard Switch

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810714	810714	32A DP Keytag Switch (Mechanical)	2	718	1/10
 810746	810778	Keytag for (810714)		322	1/10/100
	810746	Key Card SW 15A + KEY FOB	2	3860	1/10

Hotel "DND and MMR" Functions

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810747	810747	DND Internal Unit	2	484	1/10/100
 810748	810748	DND External Unit	2	550	1/10/100

Shaver Socket

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810766	810766	Shaver Socket	4	6398	1/5/20

Sockets and Connectors

TV Socket

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810733	810733	TV Socket	1	158	1/20/200

Shynora

Data & Voice

HSN Code: 8536


810731

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810731	Telephone Socket - RJ11 with shutter	1	156	1/20/200
810732	Computer Socket - RJ45 Cat 6 with shutter	1	886	1/20/200

Protectors and Accessories

Motor Starter

HSN Code: 8536


810764



810765

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810764	16A Motor Starter	2	820	10/50
810765	25A Motor Starter	2	820	10/50

Modular MCB (IS : 608981:2002) • ISI Mark

HSN Code: 8536


810754



810757



810758

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810754	6A Mini MCB SP C Curve	1	610	1/1/100
810755	10A Mini MCB SP C Curve	1	610	1/1/100
810756	16A Mini MCB SP C Curve	1	610	1/1/100
810757	20A Mini MCB SP C Curve	1	610	1/1/100
810758	25A Mini MCB SP C Curve	1	610	1/1/100
810759	32A Mini MCB SP C Curve	1	610	1/1/100

Power Unit

HSN Code: 8536


810725

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810725	Power Unit with 20A MCB & 16A Plug	3	1466	1/10
810726	Power Unit with 25A MCB & 16A Plug	3	1572	1/10

Electronic Function

USB Chargers (IS13252 (Part 1) / IEC 60950-1) • CRS Certified

HSN Code: 8536


810752



810769

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810752	USB Charger 1500mA Type A	1	1466	1/10/100
810776	USB Charger Type C 20W PD	1	3590	1/10/100
810777	USB Charger 3000mA, 15W Type A+C	1	2596	1/10/100
810769	Double USB Charger 3000mA, 15W Type A+C	2	2430	1/10/100

Shynora

Accessories

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810767	810767	1 Module Blank Plate	1	40	1/40/400
 810768	810768	Cable Outlet	1	120	1/20/100

Shynora Plate Frame White

HSN Code: 8538

Plate & Frame • Strong Dimensional Stability

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810800	810800	White Plate + Frame, 1 module	1	112	1/10/100
 810801	810801	White Plate + Frame, 2 module	2	112	1/10/100
	810802	White Plate + Frame, 3 module	3	166	1/10/100
	810803	White Plate + Frame, 4 module	4	176	1/10/100
	810804	White Plate + Frame, 6 module	6	244	1/10/100
	810805	White Plate + Frame, 8 module	8	314	1/10/100
 810805	810806	White Plate + Frame, 2X4 module	8	314	1/5/25
	810807	White Plate + Frame, 9 module	9	352	1/5/50
 810810	810808	White Plate + Frame, 12 module	12	414	1/5/25
	810809	White Plate + Frame, 16 module	16	474	1/5/25
	810810	White Plate + Frame, 18 module	18	554	1/5/25

Shynora Plate Frame Cool Grey

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810811	810811	Cool Grey Plate + Frame, 1 module	1	130	1/10/100
 810812	810812	Cool Grey Plate + Frame, 2 module	2	130	1/10/100
	810813	Cool Grey Plate + Frame, 3 module	3	190	1/10/100
	810814	Cool Grey Plate + Frame, 4 module	4	204	1/10/100
	810815	Cool Grey Plate + Frame, 6 module	6	286	1/10/100
 810814	810816	Cool Grey Plate + Frame, 8 module	8	330	1/10/100
 810816	810817	Cool Grey Plate + Frame, 2X4 module	8	330	1/5/25
	810818	Cool Grey Plate + Frame, 9 module	9	406	1/5/50
	810819	Cool Grey Plate + Frame, 12 module	12	476	1/5/25
	810820	Cool Grey Plate + Frame, 16 module	16	536	1/5/25
	810821	Cool Grey Plate + Frame, 18 module	18	644	1/5/25

Shynora Plate Frame Chrome

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 810833	810833	Chrome Plate + Frame, 1 module	1	122	1/10/100
	810834	Chrome Plate + Frame, 2 module	2	122	1/10/100

Shynora

Shynora Plate Frame Chrome

HSN Code: 8538



810835



810838



810841

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
810835	Chrome Plate + Frame, 3 module	3	170	1/10/100
810836	Chrome Plate + Frame, 4 module	4	196	1/10/100
810837	Chrome Plate + Frame, 6 module	6	276	1/10/100
810838	Chrome Plate + Frame, 8 module	8	320	1/10/100
810839	Chrome Plate + Frame, 2X4 module	8	320	1/5/25
810840	Chrome Plate + Frame, 9 module	9	396	1/5/50
810841	Chrome Plate + Frame, 12 module	12	454	1/5/25
810842	Chrome Plate + Frame, 16 module	16	524	1/5/25
810843	Chrome Plate + Frame, 18 module	18	624	1/5/25

Metal Flush Boxes • Made of G.I. Sheet • Earth Terminal for Safety • Provision for Knockouts Available

• ISI Marked

HSN Code: 8538



800172



800174



810867






800180

Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
800172	Metal Flush Box, 1/2 Module	1/2	80	40
800173	Metal Flush Box, 3 Module	3	104	40
800174	Metal Flush Box, 4 Module	4	124	40
800176	Metal Flush Box, 6 Module	6	186	20
800177	Metal Flush Box, 8 Module (vertical)	8	240	20
800178	Metal Flush Box, 8 Module (horizontal)	8	240	20
810867	Metal Flush Box, 9 Module	9	286	20
800175	Metal Flush Box, 12 Module	12	312	10
800179	Metal Flush Box, 16 Module	16	360	10
800180	Metal Flush Box, 18 Module	18	394	10

Shynora

Plastic Surface Boxes • Flame Retardant Material • Edge to Edge Fitting with Plate • ISI Marked HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800182	Plastic Surface Box, 1/2 Module	1/2	82	50
	800183	Plastic Surface Box, 3 Module	3	104	35
	800184	Plastic Surface Box, 4 Module	4	118	25
	800186	Plastic Surface Box, 6 Module	6	182	10
	800187	Plastic Surface Box, 8 Module (vertical)	8	248	15
	810866	Plastic Surface Box, 8 Module (horizontal)	8	260	10
	800185	Plastic Surface Box, 12 Module	12	310	10
	800189	Plastic Surface Box, 16 Module	16	362	10
	800190	Metal Surface Box, 18 Module	18	404	10

Our switches are compliant with revised BIS standard


(IS 3854:2023) requirements. Also, our switches are covered additionally for use on Self-Ballasted Lamp (SBL) loads.

SBL power rating as per IS3854:2023


Switch Rating	6A, 230V~	10A, 230V~	16A, 230V~	20A, 230V~
SBL power (Watt)	100 W	100 W	200 W	250 W

Dimensions


Cover Plates-Shynora



Flush Boxes-Metal



Surface Boxes-Plastic



Elevate your space with refined elegance



Scan to know more about the product

Glint is a wiring device range designed to suit everyday interiors suitable for residential and commercial applications.

Features

- Switches tested for up to 1 lakh on/off operations along with safety shuttered sockets
- Modular design for quick assembly with heat resistant body for enhanced safety
- ISI and RoHS Certified

Benefits

- An economical modular system built for diverse applications
- Easy installation & low maintenance
- Ensures safe operation and long product life

Glint[™]

Mechanisms White

Switches: • Polycarbonate Material • LED Based Indicator • ISI Marked

Switches 6A 230 V AC

HSN Code: 8536

 800000	 800001	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
		800000	6A 1 way Switch	1	40	1/20/400
		800001	6A 2 way Switch	1	86	1/20/200

Switches 16A 230 V AC

HSN Code: 8536

			Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
			800002	16A 1 way Switch	1	112	1/20/200
			800003	16A 2 way Switch	1	144	1/10/100
			800004	16A 1 way Switch with indicator	1	138	1/10/100

Switches 20A 230V AC

HSN Code: 8536

 800005	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800005	20A DP Switch with indicator	2	178	1/10/50

Switches 25A 230V AC

HSN Code: 8536

 800089	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800089	25A Switch with Indicator	1	156	1/10/100

Switches 32A 230 V AC

HSN Code: 8536

 800006	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800006	32A DP Switch with indicator	2	258	1/10/50

Bell Push Button 6A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
		800007	6A Bell Push with Indicator	1	102	1/10/100
800007	800008	800008	6A Bell Push with Indicator	2	146	1/10/100

Glint™

Mechanisms White

Sockets: • Child Safety Shutter • Smooth Plug Removal & Insertion

Indian Standard Sockets 240 V AC

HSN Code: 8536

 800022	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	801800	6A 3 pin Round Socket with shutter (ISI mark)	2	84	1/20/200
	800022	6A/16A 3 pin socket with shutter (ISI Mark)	2	160	1/20/200

Dimmers and Fan Regulators •Laser Marking for Easy Identification

HSN Code: 8538 & 8414

 800042 800043	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800042	Light Dimmer -400W	1	418	1/10/100
	800041	Fan 4 Step Regulator -100W	1	428	1/10/100
	800043	Fan 4 Step Regulator -100W	2	484	1/10/100
	800090	Fan 5 Step Regulator -100W (ISI mark)	2	426	1/10/100
	800091	Fan 8 Step Regulator -100W (ISI mark)	2	426	1/10/100

Skirting Light

HSN Code: 8536

 800092	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800092	Skirting Light	2	318	1/5/25

Indicator

HSN Code: 8536

 800033	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800033	Flat Indicator Red	1	124	1/10/100

Buzzer

HSN Code: 8536

 800040	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800040	Buzzer - 230V	1	224	1/20/100

Hospitality Function

Hotel Keycard Switch

HSN Code: 8536

 800093	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800093	32A DP Keytag Switch (Mechanical)	2	432	1/10

GlintTM

Hotel "DND and MMR" Functions

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800094	800094	DND Internal Unit	2	154	1/10/100
	800095	DND External Unit	2	278	1/10/100

Sockets and Connectors

TV Socket

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800032	800032	TV Socket	1	88	1/20/100

Data & Voice

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800030	800030	Telephone Socket - RJ11	1	94	1/20/100
	800031	Computer Socket- RJ45 Cat 6	1	216	1/20/100

Protectors and Accessories

Modular MCB (IS : 608981:2002) • Laser Marking

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800097	800097	6A MINI MCB SP C CURVE	1	290	1/10/100
	800098	10A MINI MCB SP C CURVE	1	290	1/10/100
	800010	16A MINI MCB SP C CURVE	1	408	1/10/100
	800011	20A MINI MCB SP C CURVE	1	408	1/10/100
	800012	25A MINI MCB SP C CURVE	1	408	1/10/100
	800013	32A MINI MCB SP C CURVE	1	408	1/10/100

Motor Starter

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800096	800096	25A MOTOR STARTER	2	456	1/10/50

Electronic Function

USB Chargers (IS13252 (Part 1) / IEC 60950-1) • CRS Certified

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800044	800044	USB Charger 1500mA Type A	1	1010	1/10/100

Glint™

Accessories • Spare Screw Caps

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800051	1 Module Blank Plate	1	30	1/20/200
	800052	2 Module Blank Plate	2	36	1/10/100
	800059	Screw Caps	0	30	1/10/100

Plate & Frame: • Unique Design - Sleek & Curvy • Flame Retardant Material • Compatible with Standard Size of Metal Flush & Plastic Surface Boxes

Glint Single Plates White

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800061	1 Module Plate	1	66	1/10/100
	800064	2 Module Plate	2	66	1/10/100
	800063	3 Module Plate	3	94	1/10/100
	800064	4 Module Plate	4	112	1/10/100
	800066	6 Module Plate	6	140	1/5/50
	800067	8 Module Plate (Vertical)	8	196	1/5/25
	800065	8 Module Plate (Horizontal)	8	186	1/5/50
	800065	12 Module Plate	12	256	1/5/25
	800069	16 Module Plate	16	266	1/5/25
	800070	18 Module Plate	18	326	1/5/25

Glint Double Plates: • Aesthetic Design • Suitable for Metal Flush & Wooden Boxes • Comes with Regular & Self Tapping Screws

Plate & Frame

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800071	White Plate + Frame, 1M	1	102	1/10/100
	800072	White Plate + Frame, 2M	2	102	1/10/100
	800073	White Plate + Frame, 3M	3	126	1/10/100
	800074	White Plate + Frame, 4M	4	162	1/10/100
	800076	White Plate + Frame, 6M	6	202	1/10/50
	800078	White Plate + Frame, 8M (Vertical)	8	288	1/5/25
	800079	White Plate + Frame, 8M (Horizontal)	8	288	1/10/50
	800080	White Plate + Frame, 10M	10	342	1/5/25
	800082	White Plate + Frame, 12M (Vertical)	12	372	1/5/25
	800084	White Plate + Frame, 12M (Horizontal)	12	372	1/5/25
	800086	White Plate + Frame, 16M	16	432	1/5/25
	800088	White Plate + Frame, 18M	18	468	1/5/25

Metal Flush Boxes

HSN Code: 8538



Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
800172	Metal Flush Box, 1/2 Module	1/2	80	40
800173	Metal Flush Box, 3 Module	3	104	40
800174	Metal Flush Box, 4 Module	4	124	40
800176	Metal Flush Box, 6 Module	6	186	20
800177	Metal Flush Box, 8 Module (vertical)	8	240	20
800178	Metal Flush Box, 8 Module (horizontal)	8	240	20
810867	Metal Flush Box, 9 Module	9	286	20
800175	Metal Flush Box, 12 Module	12	312	10
800179	Metal Flush Box, 16 Module	16	360	10
800180	Metal Flush Box, 18 Module	18	394	10

Plastic Surface Boxes

HSN Code: 8538



Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
800182	Plastic Surface Box, 1/2 Module	1/2	82	50
800183	Plastic Surface Box, 3 Module	3	104	35
800184	Plastic Surface Box, 4 Module	4	118	25
800186	Plastic Surface Box, 6 Module	6	182	10
800187	Plastic Surface Box, 8 Module (vertical)	8	248	15
800188	Plastic Surface Box 8 Module (horizontal)	8	248	10
800185	Plastic Surface Box, 12 Module	12	310	10
800189	Plastic Surface Box, 16 Module	16	362	10
800190	Metal Surface Box, 18 Module	18	404	10

Our switches are compliant with revised BIS standard

(IS 3854:2023) requirements. Also, our switches are covered additionally for use on


Self-Ballasted Lamp (SBL) loads.

SBL power rating as per IS3854:2023


Switch Rating	6A, 230V~	16A, 230V~	20A, 230V~
SBL power (Watt)	100 W	200 W	250 W

Dimensions


Cover Plates—**Glint**™



Flush Boxes—Metal



Surface Boxes—Plastic



**We think better,
you live better**



Elvira is a modular range designed for modern residential and commercial spaces. It combines sleek design and durable performance, with ISI certified products.

Scan to know more
about the product

Features

- Switches tested for up to 1 lakh on/off operations along with safety shuttered sockets
- Simple design enabling quick & easy installation
- Flame retardant plastic material used for end user safety
- ISI certified switches and sockets compliant with RoHS & BIS standards

Benefits

- Designed for long-term reliability with safety
- Balances modern aesthetics with safe operation
- Tested for electrical, mechanical, and thermal strength

ELVIRA

White Mechanisms

Switches: • Polycarbonate Material • LED Based Indicator • ISI Marked

Switches 6A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800100  800101		800100	6A 1 way Switch	1	44	1/20/400
		800101	6A 2 way Switch	1	102	1/20/100
		800102	6A 1 way Switch with Indicator	1	100	1/20/200

Switches 10A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800114  800115  800116		800114	10A 1 way Switch	1	50	1/20/400
		800115	10A 2 way Switch	1	106	1/20/100
		800116	10A 1 way Switch with Indicator	1	104	1/20/200

Switches 16A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800103  800104  800105		800103	16A 1 way Switch	1	130	1/20/200
		800104	16A 2 way Switch	1	176	1/10/100
		800105	16A 1 way Switch with Indicator	1	152	1/20/200

Switches 20A 230V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800107		800107	20A DP Switch with indicator	2	222	1/10/50

Switches 25A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800106		800106	25A 1 way Switch with Indicator	1	232	1/10/100

Switches 32A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800108		800108	32A DP Switch with indicator	2	308	1/10/50

ELVIRA


Bell Push Button 6A 230 V AC

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800110 800111		800110	6A Bell Push with Indicator	1	114	1/20/200
		800111	6A Bell Push with Indicator	2	180	1/10/100

Indian Standard Sockets 240 V AC:

HSN Code: 8536
Sockets • Child Safety Shutter • Smooth Plug Removal & Insertion

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 802800 800122		802800	6A 3 pin Round Socket with Shutter (ISI Mark)	2	110	1/20/200
		800122	6A/16A 3 Pin Socket with Shutter (ISI Mark)	2	218	1/20/200

Dimmers and Fan Regulators: • Laser Marking for Easy Identification

HSN Code: 8538 & 8414

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800143 800142 800139		800143	Light Dimmer 400W	1	502	1/10/100
		800141	Fan 4 Step Regulator 100W (ISI Mark)	1	476	1/10/100
		800142	Fan 4 step Regulator 100W (ISI Mark)	2	590	1/10/100
		800139	Fan 8 step Regulator 100W (ISI Mark)	2	726	1/10/100

Skirting Light

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800155		800155	Skirting Light	2	484	1/5/25

Indicator

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800154		800154	Flat Indicator Red	1	142	1/20/100

Buzzer

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800140		800140	Buzzer - 230V	1	334	1/20/100

Bell Call Indicator

HSN Code: 8536

		Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800144		800144	Bell Call Indicator	1	820	1/20/100

ELVIRA

Sockets and Connectors

TV Socket

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800132	800132	TV Socket	1	122	1/20/100

Data & Voice

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800130	800130	Telephone Socket - RJ11	1	126	1/20/100
 800131	800131	Computer Socket- RJ45 Cat 6	1	316	1/20/100

Protectors and Accessories

Motor Starter

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800196	800196	25A Motor Starter	2	610	1/10/50

MCB: (IS : 608981:2002) • Laser Marking

Modular MCB

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800160	800160	16A MINI MCB SP C CURVE	1	522	1/10/100
 800156	800191	20A MINI MCB SP C CURVE	1	522	1/10/100
	800156	25A MINI MCB SP C CURVE	1	522	1/10/100
	800157	32A MINI MCB SP C CURVE	1	522	1/10/100

Power Unit

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800193	800193	Power Unit with 20A MCB & 16A PLUG	3	1230	1/10
	800194	Power Unit with 25A MCB & 16A PLUG	3	1320	1/10

Electronic Function (IS13252 (Part 1) / IEC 60950-1) • CRS Certified

USB Chargers

HSN Code: 8536

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
 800145	800145	USB charger 1500mA Type A	1	1148	1/10/100

ELVIRA

Hospitality Function

Hotel Keycard Switch

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800197	Key card Switch 15A	2	2932	1/1/10

Hotel "DND and MMR" Functions

HSN Code: 8538

	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800192	DND INTERNAL UNIT	2	252	1/10/100
	800195	DND EXTERNAL UNIT	2	300	1/10/100

Accessories

HSN Code: 8538

 	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800151	1 Module Blank Plate	1	32	1/20/200
	800152	2 Module Blank plate	2	60	1/10/100
	800153	Cable Outlet	1	102	1/20/100

Plate & Frame: • Strong Dimensional Stability

Elvira Double Plates White

HSN Code: 8538

   	Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
	800161	White Plate + Frame, 1M	1	106	1/10/100
	800162	White Plate + Frame, 2M	2	106	1/10/100
	800163	White Plate + Frame, 3M	3	148	1/10/100
	800164	White Plate + Frame, 4M	4	170	1/10/100
	800166	White Plate + Frame, 6M	6	218	1/10/100
	800167	White Plate + Frame, 8M (Vertical)	8	302	1/5/25
	800168	White Plate + Frame, 8M (Horizontal)	8	300	1/10/100
	800165	White Plate + Frame, 12M	12	404	1/5/25
	800169	White Plate + Frame, 16M	16	448	1/5/25
	800170	White Plate + Frame, 18M	18	540	1/5/25

ELVIRA

Metal Flush Boxes

HSN Code: 8538



Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
800172	Metal Flush Box, 1/2 Module	1/2	80	40
800173	Metal Flush Box, 3 Module	3	104	40
800174	Metal Flush Box, 4 Module	4	124	40
800176	Metal Flush Box, 6 Module	6	186	20
800177	Metal Flush Box, 8 Module (vertical)	8	240	20
800178	Metal Flush Box, 8 Module	8	240	20
810867	Metal Flush Box, 9 Module	9	286	20
800175	Metal Flush Box, 12 Module	12	312	10
800179	Metal Flush Box, 16 Module	16	360	10
800180	Metal Flush Box, 18 Module	18	394	10

Plastic Surface Boxes

HSN Code: 8538



Cat. Nos.	Description	Module	MRP ₹ / Unit	Pack
800182	Plastic Surface Box, 1/2 Module	1/2	82	50
800183	Plastic Surface Box, 3 Module	3	104	35
800184	Plastic Surface Box, 4 Module	4	118	25
800186	Plastic Surface Box, 6 Module	6	182	10
800187	Plastic Surface Box, 8 Module (vertical)	8	248	15
800188	Plastic Surface Box 8 Module	8	248	10
800185	Plastic Surface Box, 12 Module	12	310	10
800189	Plastic Surface Box, 16 Module	16	362	10
800190	Metal Surface Box, 18 Module	18	404	10

Our switches are compliant with revised BIS standard

(IS 3854:2023) requirements. Also, our switches are covered additionally for use on


Self-Ballasted Lamp (SBL) loads.

SBL power rating as per IS3854:2023


Switch Rating	6A, 230V~	10A, 230V~	16A, 230V~	20A, 230V~
SBL power (Watt)	100 W	100 W	200 W	250 W

Dimensions


Cover Plates-**ELVIRA**



Flush Boxes-Metal



Surface Boxes-Plastic



Where design meets safety



Scan to know more about the product

Doorsta doorbells are designed for clear sound. Built with high quality components, they provide dependable performance for residential and commercial spaces.

Features

- Made in India - BIS & RoHS compliant doorbell build for environmental safe usage
- Over current protection for consistent performance; works on 240 V AC
- Clear and audible chime for easy notification

Benefits

- Enhances safety for your home with stylish design
- Easy installation and operation
- Reliable performance for everyday use

Doorsta

Ding Dong Doorbell

• High Sound Output • BIS / RoHS Compliant • With Over Current Protection

HSN Code: 8536



Cat. Nos.	Description	MRP ₹ / Unit	Pack
698450	Doorsta Ding Dong Doorbell (BIS)	466	1/20
698451	Doorsta Ding Dong Doorbell (BIS)	492	1/20

3 Pin Plugs With Easy Grip

• White Matt Finish • ISI Marked

HSN Code: 8536



Cat. Nos.	Description	MRP ₹ / Unit	Pack
698470	6A 3 Pin Plug (ISI mark)	108	20/200
698471	16A 3 Pin Plug (ISI mark)	162	10/100

A range to match your needs



Scan to know more
about the product

Zosta exhaust and axial fans are designed for efficient ventilation & quiet operation ensuring calm and comfortable environment.

Features

- Aerodynamic blade design for high air delivery and efficient airflow
- Powerful copper motor for better current carrying capacity and longer life
- RoHS compliant construction
- Silent operation

Benefits

- Improves air quality by quickly removing smoke, fumes and odours
- Long lasting durability with rust free plastic body
- Offers hassle free installation & maintenance

ZostaTM

Exhaust Fan - White / Black

• Copper Motor • RoHS Compliant • Rust Free Body • Silent Operation

HSN Code: 8536



698500



698501



698503



698504

Cat. Nos.	Description	MRP ₹ / Unit	Pack
698500	Exhaust Fan 150mm White	2438	1/6
698501	Exhaust Fan 200mm White	2732	1/6
698502	Exhaust Fan 250mm White	3120	1/6
698503	Exhaust Fan 150mm Black	2438	1/6
698504	Exhaust Fan 200mm Black	2732	1/6
698505	Exhaust Fan 250mm Black	3120	1/6

Axial Exhaust Fan - White

• Copper Motor • RoHS Compliant • Rust Free Body • Silent Operation

HSN Code: 8536



698506



698507

Cat. Nos.	Description	MRP ₹ / Unit	Pack
698506	Axial Exhaust Fan 100mm White	1718	1/20
698507	Axial Exhaust Fan 150mm White	1876	1/20

BULB HOLDER & CEILING ROSE

Bright ideas for
happy & safe living



Scan to know more
about the product

Bulb Holders are designed to provide a secure connection point for ceiling mounted lighting fixtures. Crafted from tough and lightweight material, it ensures durability while maintaining an attractive finish.

Features

- Long lasting polycarbonate plastic
- Ducts for heat dissipation
- Metal ring prevents deformation from overheating
- ISI certified bulb holders. All products are RoHS compliant

Benefits

- Ensures safe electrical connections for ceiling light fixtures
- Enhances aesthetics through glossy, dust resistant white finish
- Quick and easy installation

BULB HOLDER & CEILING ROSE

Fancy Batten Bulb Holder / Ceiling Rose

• Dynamic Design • Metal Ring Avoids Deformation

HSN Code: 8536

			Cat. Nos.	Description	MRP ₹ / Unit	Pack
	698473	Fancy Batten Bulb Holder White (ISI mark)	96	20/200		
	698474	Fancy Angle Bulb Holder White (ISI mark)	96	20/200		
	698475	Fancy Ceiling Rose White	60	20/200		

Experience happiness through safe and secure products



Scan to know more about the product

Caretron ensures complete safety for your home by protecting against electrical faults. Designed for modern homes, it delivers reliable and worry-free power every day.

Features

- ISI / CE certified as per IS/IEC 60898-1 standards
- Bi-connect terminals for cable / busbar connection with positive isolation
- 6kA breaking capacity with IP 20 degree of Protection

Benefits

- Enhances electrical safety by preventing damage from overloads and short circuits
- Ensures reliable electrical performance by disconnecting faulty circuits
- Hassle-free maintenance & long-term reliability

Caretron[™]

Caretron Miniature Circuit Breaker

- ISI / CE Marked as per IS/IEC 60898 -1 • Degree of Protection IP 20 • Bi-Connect Terminals • 25 sq. mm Terminals
- Breaking Capacity 6kA

B Curve Single Pole

HSN Code: 8536



810001



810002

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/12/180	810000	253
10	1/12/180	810001	253
16	1/12/180	810002	253
20	1/12/180	810003	253
25	1/12/180	810004	253
32	1/12/180	810005	253
40	1/12/180	810006	594
50	1/12/180	810007	669
63	1/12/180	810008	669

B Curve Single Pole Neutral

HSN Code: 8536



810009



810010

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/6/90	810009	945
10	1/6/90	810010	945
16	1/6/90	810011	945
20	1/6/90	810012	945
25	1/6/90	810013	945
32	1/6/90	810014	945
40	1/6/90	810015	1327
50	1/6/90	810016	1570
63	1/6/90	810017	1570

B Curve Double Pole

HSN Code: 8536



810018



810019

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/6/90	810018	989
10	1/6/90	810019	989
16	1/6/90	810020	989
20	1/6/90	810021	989
25	1/6/90	810022	989
32	1/6/90	810023	989
40	1/6/90	810024	1468
50	1/6/90	810025	1657
63	1/6/90	810026	1657

*Pack sizes are based on packaging specifications and are subject to change without prior notice.

Caretron™

C Curve Single Pole

HSN Code: 8536


810054



810055

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/12/180	810054	253
10	1/12/180	810055	253
16	1/12/180	810056	253
20	1/12/180	810057	253
25	1/12/180	810058	253
32	1/12/180	810059	253
40	1/12/180	810060	594
50	1/12/180	810061	669
63	1/12/180	810062	669

Caretron Miniature Circuit Breaker

- ISI / CE Marked as per IS/IEC 60898 -1 • Degree of Protection IP 20 • Bi-Connect Terminals • 25 sq. mm Terminals
- Breaking Capacity 6kA

C Curve Single Pole Neutral

HSN Code: 8536


810063



810064

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/6/90	810063	945
10	1/6/90	810064	945
16	1/6/90	810065	945
20	1/6/90	810066	945
25	1/6/90	810067	945
32	1/6/90	810068	945
40	1/6/90	810069	1327
50	1/6/90	810070	1570
63	1/6/90	810071	1570

C Curve Double Pole

HSN Code: 8536


810072



810073

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/6/90	810072	989
10	1/6/90	810073	989
16	1/6/90	810074	989
20	1/6/90	810075	989
25	1/6/90	810076	989
32	1/6/90	810077	989
40	1/6/90	810078	1468
50	1/6/90	810079	1657
63	1/6/90	810080	1657

*Pack sizes are based on packaging specifications and are subject to change without prior notice.

Caretron[™]

C Curve Three Pole

HSN Code: 8536



810081

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/4/60	810081	1560
10	1/4/60	810082	1560
16	1/4/60	810083	1560
20	1/4/60	810084	1560
25	1/4/60	810085	1560
32	1/4/60	810086	1560
40	1/4/60	810087	2226
50	1/4/60	810088	2449
63	1/4/60	810089	2449

C Curve Three Pole Neutral

HSN Code: 8536



810090

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/3/45	810090	2038
10	1/3/45	810091	2038
16	1/3/45	810092	2038
20	1/3/45	810093	2038
25	1/3/45	810094	2038
32	1/3/45	810095	2038
40	1/3/45	810096	2743
50	1/3/45	810097	2987
63	1/3/45	810098	2987

C Curve Four Pole

HSN Code: 8536



810099

Rating (A)	Pack*	Item Number	MRP ₹ / Unit
6	1/3/45	810099	2097
10	1/3/45	810100	2097
16	1/3/45	810101	2097
20	1/3/45	810102	2097
25	1/3/45	810103	2097
32	1/3/45	810104	2097
40	1/3/45	810105	2826
50	1/3/45	810106	3093
63	1/3/45	810107	3093

*Pack sizes are based on packaging specifications and are subject to change without prior notice.

Caretron™

Isolator

- Conforms to IEC 60947-3 • Bi-Connect Terminals • Positive Isolation • Degree of Protection IP 20
- 25 sq. mm Terminals

Double Pole



810131

Rating (A)	Pack*	Cat. Nos.	MRP ₹ / Unit
40	1/6/90	810130	657
63	1/6/90	810131	811

Three Pole

HSN Code: 8536



810132

Rating (A)	Pack*	Cat. Nos.	MRP ₹ / Unit
40	1/4/60	810132	1179
63	1/4/60	810133	1323

*Subject to Change Based on Packaging Type

Four Pole

HSN Code: 8536



810134

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
40	1/3/45	810134	1460
63	1/3/45	810135	1530

Residual Current Circuit Breaker - RCCB

- ISI/CE marked as per IS/IEC12640 • Rated Conditional Short Circuit Current, ICC6kA • Degree of Protection IP 20
- Bi-Connect Terminals • 25 sq. mm Terminals

Double Pole

HSN Code: 8536



810150



810153

Rating (A)	Sensitivity	Pack	Cat. Nos.	MRP ₹ / Unit
25	30 mA	1/6/90	810150	3287
25	100 mA	1/6/90	810153	3435
25	300 mA	1/6/90	810156	3435
40	30 mA	1/6/90	810151	3678
40	100 mA	1/6/90	810154	3700
40	300 mA	1/6/90	810157	3700
63	30 mA	1/6/90	810152	4640
63	100 mA	1/6/90	810155	4691
63	300 mA	1/6/90	810158	4691

Caretron[™]

Four Pole

HSN Code: 8536



810159

810162

Rating (A)	Sensitivity	Pack	Cat. Nos.	MRP ₹ / Unit
25	30 mA	1/3/45	810159	4307
25	100 mA	1/3/45	810162	4430
25	300 mA	1/3/45	810165	4430
40	30 mA	1/3/45	810160	4396
40	100 mA	1/3/45	810163	4521
40	300 mA	1/3/45	810166	4521
63	30 mA	1/3/45	810161	4934
63	100 mA	1/3/45	810164	4960
63	300 mA	1/3/45	810167	4960

Engineered to perfection with a wide range and unmatched quality



Scan to know more about the product

Optipro MCBs are designed to provide protection for circuits in residential, commercial & industrial installations. These ranges safeguard electrical systems from overloads and short circuits.

Features

- Designed to perform in extreme conditions
- Visual status window (Red-ON/Green-OFF) for contact position
- Bi connect terminal with large terminal size

Benefits

- Protects against Overload and Short Circuit
- Simple clip-on mechanism that allows for quick and easy installation
- IP 20 degree protection ensures no live parts are exposed

—optipro™—

Miniature Circuit Breaker – MCB

- Conforms to IS/IEC 60898 • Short-Circuit Breaking Capacity 10kA • Line Load Reversibility • 35 sq. mm Terminals
- Biconnect Terminals • Frequency: 50 Hz • Clear Visual Indication of Contact Position

B Curve Single Pole

HSN Code: 8536



811010



811012

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
6	1/12/180	811008	374
10	1/12/180	811010	374
16	1/12/180	811012	374
20	1/12/180	811013	374
25	1/12/180	811014	374
32	1/12/180	811015	374
40	1/12/180	811016	869
50	1/12/180	811017	1004
63	1/12/180	811018	1004

B Curve Single Pole Neutral

HSN Code: 8536



811027



811033

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
6	1/6/90	811027	1276
10	1/6/90	811029	1276
16	1/6/90	811031	1276
20	1/6/90	811032	1276
25	1/6/90	811033	1276
32	1/6/90	811034	1276
40	1/6/90	811035	1803
50	1/6/90	811036	2045
63	1/6/90	811037	2045

B Curve Double Pole

HSN Code: 8536



811046



811048

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
6	1/6/90	811046	1327
10	1/6/90	811048	1327
16	1/6/90	811050	1327
20	1/6/90	811051	1327
25	1/6/90	811052	1327
32	1/6/90	811053	1327
40	1/6/90	811054	1930
50	1/6/90	811055	2149
63	1/6/90	811056	2149

—optipro™—

Optipro Isolator

• Conforms to IEC 60947-3 • CE Marked • Degree of Protection IP 20 • Large Terminal Size ~35sqmm • Biconnect Terminals

Double Pole

HSN Code: 8536



811552

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
80	1/6/90	811552	1276
100	1/6/90	811553	1276
125	1/6/90	811554	1375

Three Pole

HSN Code: 8536



811557

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
80	1/4/60	811557	1930
100	1/4/60	811558	1930
125	1/4/60	811559	2118

Four Pole

HSN Code: 8536



811563

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
80	1/3/45	811562	2396
100	1/3/45	811563	2396
125	1/3/45	811564	2592

Automatic Changeover with Current Limiter

• As per IEC60947-6-1 • Intelligent Micro Controller Based Design • RoHS Compliant

HSN Code: 8536



810400



810401

Rating (A)	Pack	Cat. Nos.	MRP ₹ / Unit
SPN 30A Mains 1.5A DG ACCL	1/3/45	810409	2764
SPN 30A Mains 2.5A DG ACCL	1/3/45	810410	2764
SPN 30A Mains 3A DG ACCL	1/3/45	810400	2764
SPN 30A Mains 4A DG ACCL	1/3/45	810401	2764
SPN 30A Mains 5A DG ACCL	1/3/45	810402	2764
SPN 30A Mains 6A DG ACCL	1/3/45	810403	2764
SPN 30A Mains 9A DG ACCL	1/3/45	810404	2764
SPN 30A Mains 12A DG ACCL	1/3/45	810405	2764
SPN 30A Mains 15A DG ACCL	1/3/45	810406	2764
SPN 30A Mains 20A DG ACCL	1/3/45	810407	2764
SPN 30A Mains 30A DG ACCL	1/3/45	810408	2764

Attractive design with minimal wall projection and matt finish



Scan to know more about the product

Caretron+ Distribution Boards are designed for superior safety, durability, and modern aesthetics. A perfect blend of performance and design for residential and commercial spaces.

Features

- Degree of Protection: IP 30 & IP 42
- Enhanced safety: Door earthing, Option for shrouding neutral links
- Wide range with SPN/TPN/VTPN/Phase Selector DBs
- Easy installation: insertion marks, key holes, ample wiring space

Benefits

- Fast, hassle-free installation and easy maintenance with ample space and clear circuit labels
- Enhances the visual appeal of interiors with a sleek and modern distribution board design
- Long service life with enhanced durability and corrosion resistance

Caretron™ +

CARETRON+ Distribution Boards

• Innovative Design with Minimal Wall Projection • Degree of Protection IP 30 and IP42 • Mechanical Impact Strength IK 08 • Suitable for Surface and Flush Mounting • Detachable Gland Plate • Box Insertion Marks • Attractive White Shade (RAL 9010) Matt Finish • Circuit Identification Label


SPN Single Door

HSN Code: 8537


810500I

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	4	1/19	810500I	1099
6	6	1/18	810501I	1219
8	8	1/13	810502I	1366
12	12	1/11	810503I	1865
16	16	1/9	810504I	2295

SPN Double Door

HSN Code: 8537


810505

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	4	1/12	810505	2021
6	6	1/12	810506	2222
8	8	1/10	810507	2465
12	12	1/8	810508	2973
16	16	1/6	810509	3657

TPN Single Door

HSN Code: 8537


810512I

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	4+12	1/8	810510I	3296
4	8+12	1/5	810511I	3732
6	4+18	1/5	810512I	3964
6	8+18	1/5	810513I	4538
8	8+24	1/4	810514I	5179
12	8+36	1/4	810515I	6978

TPN Double Door

HSN Code: 8537


810516

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	4+12	1/6	810516	4606
4	8+12	1/4	810517	4785
6	4+18	1/4	810518	5434
6	8+18	1/3	810519	6002
8	8+24	1/3	810520	7238
12	8+36	1/3	810521	9311

Caretron™ +

CARETRON+ Distribution Boards

• Innovative Design with Minimal Wall Projection • Degree of Protection IP 30 AND IP42 • Mechanical Impact Strength IK 08 • Suitable for Surface and Flush Mounting • Detachable Gland Plate • Attractive White Shade (RAL 9010) Matt Finish • Box Insertion Marks • Circuit Identification Label

VTPN MCB Incomer Double Door

HSN Code: 8537


810526

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	8+12	1	810526	11399
6	8+18	1	810527	13752
8	8+24	1	810528	15319
12	8+36	1	810529	20245

VTPN 125A MCCB I/C DD DB

HSN Code: 8537


810530

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	Optium F1 + 12	1	810530	13563
6	Optium F1 + 18	1	810531	15888
8	Optium F1 + 24	1	810532	17301
12	Optium F1 + 36	1	810533	22253

VTPN 250A MCCB I/C DD DB

HSN Code: 8537


810534

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	Optium F2 + 12	1	810534	18390
6	Optium F2 + 18	1	810535	20200
8	Optium F2 + 24	1	810536	21246
12	Optium F2 + 36	1	810537	26614

Phase Selector 40A Double Door (Pre Fitted Selector Switches)

HSN Code: 8536


810546

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	8 + 12	1	810546	12594
6	8 + 18	1	810547	13790
8	8 + 24	1	810548	14463
12	8 + 36	1	810549	16538

Phase Selector 63A Double Door (Pre Fitted Selector Switches)

HSN Code: 8536


810550

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
4	8 + 12	1	810550	15114
6	8 + 18	1	810551	15830
8	8 + 24	1	810552	16536
12	8 + 36	1	810553	19324

Caretron[™] +

Plug & Socket Box

HSN Code: 8536


8105561

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
20A TP (compatible with 20A TP 'C' MCB) Metal Box	3	1/8	8105561	3158
32A TP (compatible with 32A TP 'C' MCB) Metal Box	3	1/8	8105571	4400
20A SP (supplied with 20A SP 'C' MCB) Metal Box	1	1/24	8105581	1458
20A DP (supplied with 20A DP 'C' MCB) Metal Box	2	1/24	8105591	1942

Metal Enclosure

HSN Code: 8537


8105601

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
1	1	1/50	8105601	563
2	2	1/36	8105611	563
3	3	1/36	8105621	657
4	4	1/32	8105631	657
6	6	1/24	8105641	785

Plastic Enclosure

HSN Code: 8536


810565

No. of Way	Incomer + Outgoing	Pack	Cat. Nos.	MRP ₹ / Unit
1 & 2	1/2	1/5/45	810565	148
3 & 4	3/4	1/3/27	810566	229

Busbar Chamber

- Solution for Safe Power Distribution • Step Type Design • Available in Both SPN & TPN Configuration
- Also Available in IP54 Design

TPN BBC (CU-Busbar)

HSN Code: 8536


CPPI1015

Item Description	Ingress Protection*	Cat. Nos.	MRP ₹ / Unit
Spl. 32A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1015	10840
Spl. 63A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1016	12080
Spl. 100A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1017	13390
Spl. 200A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1018	16560
Spl. 250A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1019	23570
Spl. 320A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1020	28630
Spl. 400A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1021	31820
Spl. 630A TPN BBC (Cu) with 4 o/g ways	IP42	CPPI1022	50900

Caretron™ +

Busbar Chamber

- Solution for Safe Power Distribution • Step Type Design • Available in Both SPN & TPN Configuration
- Also Available in IP54 Design

TPN-Type (Al.Busbar)

HSN Code: 8536


CPPI1023

Item Description	Ingress Protection*	Cat. Nos.	MRP ₹ / Unit
Spl. 32A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1023	10190
Spl. 63A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1024	10840
Spl. 100A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1025	11430
Spl. 200A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1026	12080
Spl. 250A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1027	14610
Spl. 320A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1028	15910
Spl. 400A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1029	16560
Spl. 630A TPN BBC (Al.) with 4 o/g ways	IP42	CPPI1008	28460

MCCB Enclosure

- Solid Neutral Link for 3 Pole MCCBs

HSN Code: 8537


811985

Description	Pack	Cat. Nos.	MRP ₹ / Unit
Optipro Enclosure for Frame-1 Optium 3 Pole MCCB	1	811984	2569
Optipro Enclosure for Frame-1 Optium 4 Pole MCCB	1	811985	2569
Optipro Enclosure for Frame-2 Optium 3 Pole MCCB	1	811986	3869
Optipro Enclosure for Frame-2 Optium 4 Pole MCCB	1	811987	3869
Optipro Enclosure for Frame-3 Optium 3 Pole MCCB	1	811988	4045
Optipro Enclosure for Frame-3 Optium 4 Pole MCCB	1	811989	4045
Optipro Enclosure for Frame-4 Optium 3 Pole MCCB	1	811990	9628
Optipro Enclosure for Frame-4 Optium 4 Pole MCCB	1	811991	9628

Caretron™ +

Metal Clad Plug & Socket

AC Plug

HSN Code: 8536


811985

Rating	Pack	Cat. Nos.	MRP ₹ / Unit
10A 2P+E, 230V AC	1/10/100	810385	225
20A 2P+E, 230V AC	1/10/100	810386	241
20A 3P+E, 230V / 415V AC	1/10/100	810387	328
32A 3P+E, 230V / 415V AC	1/10/100	810388	590

AC Socket

HSN Code: 8537


810389

Rating	Pack	Cat Ref.	MRP ₹ / Unit
10A 2P+E, 230V AC	1/10/100	810389	225
20A 2P+E, 230V AC	1/10/100	810390	259
20A 3P+E, 230V / 415V AC	1/10/100	810391	341
32A 3P+E, 230V / 415V AC	1/10/100	810392	590

Time Switches

HSN Code: 9107


TA916422

Model Name	Description	Cat Ref.	MRP ₹ / Unit
1mod DIN Daily	1P Module, 24 hours program, Program-mable every 15 min., backup of 100 hours, current capacity 16A, with 1 changeover (1 CO)	TA916422	5290
3mod DIN Daily	"3P Module, 24 hours program, Program-mable every 15 min., backup of 100 hrs., current capacity 16A, with 1 changeover (1 CO)"	TA926453	5763
"DIN Type Daily / Weekly with 1 CO"	"Programmable every 1 min., with backup of 6 years, 28 memory locations, current capacity 16A, weekly program, with 1 changeover (1 CO), Total 28 program"	TDA43110	7004

* For other models of Time Switches please contact nearest Branch Office.

Ensuring reliable performance at high ambient & humid environments



Scan to know more about the product

Optimum MCCBs represent advanced MCCB technology, delivering intelligent protection, robust performance, and a wide range of options for complex electrical infrastructure, ensuring adaptability, safety, and durability.

Features

- Delivers breaking capacities ranging from 10kA – 50kA
- Wide range from 16A – 250A in compact frames and up to 1250A in larger frames
- Multiple series of ranges with fine-tunable protection settings

Benefits

- Offers reliable protection against overloads, short circuits, and ground faults across a wide performance range
- Flexibility in system design using adjustable settings and multiple frames
- Improved uptime and easier maintenance through long mechanical/electrical endurance

optium™

ALL THAT YOU NEED
MCCB

Optium 1.0 (Fixed TM MCCB Range)

• Ics =50% Icu as per IEC 60947-II • Suitable for Isolation Fixed Overload & Fixed Short Circuit Setting

HSN Code: 8536

	Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
	F1	10kA	16	830701	3890	830710	4720
	F1	10kA	25	830702	3890	830711	4720
	F1	10kA	32	830703	3890	830712	4720
	F1	10kA	40	830704	3890	830713	4720
	F1	10kA	50	830705	3890	830714	4720
	F1	10kA	63	830706	3890	830715	4720
	F1	10kA	80	830707	4380	830716	5600
	F1	10kA	100	830708	4430	830717	5670
	F1	10kA	125	830709	6270	830718	8100

HSN Code: 8536

	Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
	F1	16kA	16	830001	6460	830015	7900
	F1	16kA	25	830002	6460	830016	7900
	F1	16kA	32	830003	6460	830017	7900
	F1	16kA	40	830004	6460	830018	7900
	F1	16kA	50	830005	6460	830019	7900
	F1	16kA	63	830006	6460	830020	7900
	F1	16kA	80	830007	6790	830021	8740
	F1	16kA	100	830008	6790	830022	8740
	F1	16kA	125	830009	9400	830023	12350

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536

	Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
	F1	25kA	16	830031	7780	830045	9300
	F1	25kA	25	830032	7780	830046	9300
	F1	25kA	32	830033	7780	830047	9300
	F1	25kA	40	830034	7780	830048	9300
	F1	25kA	50	830035	7780	830049	9300
	F1	25kA	63	830036	7780	830050	9300
	F1	25kA	80	830037	8010	830051	9760
	F1	25kA	100	830038	8010	830052	9760
	F1	25kA	125	830039	9640	830053	12840

optium™
ALL THAT YOU NEED
MCCB

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536



830061



830062

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F1	36kA	16	830061	10290	830075	11770
F1	36kA	25	830062	10290	830076	11770
F1	36kA	32	830063	10290	830077	11770
F1	36kA	40	830064	10290	830078	11770
F1	36kA	50	830065	10290	830079	11770
F1	36kA	63	830066	10290	830080	11770
F1	36kA	80	830067	10450	830081	12410
F1	36kA	100	830068	10450	830082	12410
F1	36kA	125	830069	14400	830083	14970

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536



830125



830126

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F3	50kA	16	830125	11910	830145	14480
F3	50kA	25	830126	11910	830146	14480
F3	50kA	32	830127	11910	830147	14480
F3	50kA	40	830128	11910	830148	14480
F3	50kA	50	830129	11910	830149	14480
F3	50kA	63	830130	11910	830150	14480
F3	50kA	80	830131	12510	830151	14920
F3	50kA	100	830132	12510	830152	14920
F3	50kA	125	830133	14590	830153	18500

HSN Code: 8536



830090



830091

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F2	16kA	160	830090	10050	830095	14570
F2	16kA	200	830091	13000	830096	16920
F2	16kA	250	830092	14350	830097	17880
F2	25kA	160	830100	11880	830105	14590
F2	25kA	200	830101	16050	830106	19420
F2	25kA	250	830102	20710	830107	24350
F2	36kA	160	830110	14620	830115	17920
F2	36kA	200	830111	18730	830116	23650
F2	36kA	250	830112	24440	830117	32140

optium™

ALL THAT YOU NEED
MCCB

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536

		Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
 830134	 830135	F3	50kA	160	830134	16330	830154	22420
		F3	50kA	200	830135	19660	830155	27590
		F3	50kA	250	830136	25270	830156	33580

HSN Code: 8536

		Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
 830165	 830166	F4	36kA	315	830165	33010	830175	37650
		F4	36kA	400	830166	34880	830176	40490
		F4	36kA	500	830167	39030	830177	45170
		F4	36kA	630	830168	41370	830178	47530

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536

		Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
 830185	 830186	F4	50kA	315	830185	33970	830195	40280
		F4	50kA	400	830186	37070	830196	44280
		F4	50kA	500	830187	40310	830197	46760
		F4	50kA	630	830188	42730	830198	48450

Optium 1.0 (Fixed TM MCCB Range)

HSN Code: 8536

		Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
 830200		F5	50kA	800	830200	57170	830201	73840

optium™
ALL THAT YOU NEED
MCCB

Optium 1.1 (Fixed TM MCCB Range)

• Ics = 100% Icu as per IEC 60947-II • Class II Front Face • Suitable for Isolation • Fixed Overload & Fixed Short Circuit Setting

HSN Code: 8536



840003



840004

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F1	16kA	32	840003	6730	840017	8830
F1	16kA	40	840004	6730	840018	8830
F1	16kA	63	840006	6730	840020	8830
F1	16kA	80	840007	6990	840021	9440
F1	16kA	100	840008	6990	840022	9440
F1	16kA	125	840009	9800	840023	13170
F1	25kA	32	840033	8160	840047	10340
F1	25kA	40	840034	8160	840048	10340
F1	25kA	63	840036	8160	840050	10340
F1	25kA	80	840037	8650	840051	10540
F1	25kA	100	840038	8650	840052	10540
F1	25kA	125	840039	10000	840053	14780
F2	16kA	160	840090	10360	840095	15460
F2	16kA	200	840091	13010	840096	17270
F2	16kA	250	840092	14830	840097	19800
F2	25kA	160	840100	12060	840105	15950
F2	25kA	200	840101	16930	840106	20340
F2	25kA	250	840102	21880	840107	27350

Optium 2.0 (Adjustable Thermal Setting MCCB)

• Conforms to IEC 60947-II • Ics = 100% Icu • Class II Front Face • Suitable for Isolation • Adjustable Overload Setting Ir = (0.8 to 1.0) x In • Short Circuit Setting Fixed

HSN Code: 8536



830222



830223

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F1	16kA	25	830222	6840	830236	9140
F1	16kA	32	830223	6840	830237	9140
F1	16kA	40	830224	6840	830238	9140
F1	16kA	50	830225	6840	830239	9140
F1	16kA	63	830226	6840	830240	9140
F1	16kA	80	830227	7410	830241	9820
F1	16kA	100	830228	7410	830242	9820
F1	16kA	125	830229	10140	830243	13700

optium™

ALL THAT YOU NEED
MCCB

HSN Code: 8536


830252



830253

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F1	25kA	25	830252	8580	830266	10810
F1	25kA	32	830253	8580	830267	10810
F1	25kA	40	830254	8580	830268	10810
F1	25kA	50	830255	8580	830269	10810
F1	25kA	63	830256	8580	830270	10810
F1	25kA	80	830257	9000	830271	11330
F1	25kA	100	830258	9000	830272	11330
F1	25kA	125	830259	10430	830273	15510

Optium 2.0 (Adjustable Thermal Setting MCCB)

HSN Code: 8536


830280



830281

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F2	16kA	160	830280	10880	830285	16000
F2	16kA	200	830281	13550	830286	17930
F2	16kA	250	830282	15680	830287	21190
F2	25kA	160	830290	13760	830295	18050
F2	25kA	200	830291	17610	830296	22720
F2	25kA	250	830292	23540	830297	29440

Optium 2.0 (Adjustable TM MCCB Range)

• Ics =100% Icu as per IEC 60947-II • Class II Front Face • Suitable for Isolation • Adjustable Overload Setting

Ir =(0.8 to 1.0)×In • Adjustable Short Circuit Setting Isd =(5 -10)×In

HSN Code: 8536


840008



840009

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F3	36kA	16	830305	11100	830325	15340
F3	36kA	25	830306	11100	830326	15340
F3	36kA	32	830307	11100	830327	15340
F3	36kA	40	830308	11100	830328	15340
F3	36kA	50	830309	11100	830329	15340
F3	36kA	63	830310	11100	830330	15340
F3	36kA	80	830311	11320	830331	15790
F3	36kA	100	830312	11320	830332	15790
F3	36kA	125	830313	14680	830333	17700

optium™
ALL THAT YOU NEED
MCCB

Optium 2.0 (Adjustable Thermal Setting MCCB)

HSN Code: 8536



830345



830346

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F3	50kA	16	830345	14950	830365	17860
F3	50kA	25	830346	14950	830366	17860
F3	50kA	32	830347	14950	830367	17860
F3	50kA	40	830348	14950	830368	17860
F3	50kA	50	830349	14950	830369	17860
F3	50kA	63	830350	14950	830370	17860
F3	50kA	80	830351	15250	830371	18040
F3	50kA	100	830352	15250	830372	18040
F3	50kA	125	830353	16780	830373	21540

HSN Code: 8536



830314

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F3	36kA	160	830314	18550	830334	22080
F3	36kA	200	830315	20800	830335	28800
F3	36kA	250	830316	27330	830336	37710

HSN Code: 8536



830354

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F3	50kA	160	830354	19220	830374	24250
F3	50kA	200	830355	22420	830375	30740
F3	50kA	250	830356	31830	830376	39720

Optium 2.0 (Adjustable Thermal Setting MCCB)

HSN Code: 8536



830385



830386

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F4	25kA	315	830385	29050	830387	36590
F4	25kA	400	830386	29750	830388	39920
F4	36kA	315	830390	34910	830395	42530
F4	36kA	400	830391	37140	830396	45790
F4	36kA	500	830392	43710	830397	53670
F4	36kA	630	830393	47030	830398	60130
F4	50kA	315	830400	37280	830405	46040
F4	50kA	400	830401	39780	830406	48350
F4	50kA	500	830402	45570	830407	56690
F4	50kA	630	830403	49270	830408	62890

optium™

ALL THAT YOU NEED
MCCB

Optium 2.0 (Adjustable Thermal Setting MCCB)

HSN Code: 8536


830410

Frame	Breaking Capacity	Rating	3P	MRP ₹ / Unit	4P	MRP ₹ / Unit
F5	36kA	800	830410	57460	830413	72350
F5	36kA	1000	830411	82760	830414	94660
F5	36kA	1250	830412	95720	830415	113750
F5	50kA	800	830416	59160	830419	86540
F5	50kA	1000	830417	102880	830420	113280
F5	50kA	1250	830418	113470	830421	127780

Accessories

HSN Code: 8538


830691

Product	Frame	Cat Ref	MRP ₹ / Unit
AUXILIARY CONTACT F1 F2 F3	F1 F2 F3	830691	1570
ALARM CONTACT F1 F2 F3	F1 F2 F3	830692	1570
AUXILIARY/ALARM CONTACT F4 F5	F4-F5	830693	2050
AUX./ALARM CONTACT F1 F2 F3	F1 F2 F3	830694	2350

HSN Code: 8538


830602

Product	Frame	Cat Ref	MRP ₹ / Unit
SHUNT TRIP 24V AC/DC F1 F2 F3	F1 F2 F3	830602	1780
SHUNT TRIP 110V AC/DC F1 F2 F3	F1 F2 F3	830603	1780
SHUNT TRIP 230V AC/DC F1 F2 F3	F1 F2 F3	830604	1900
SHUNT TRIP 415V AC/DC F1 F2 F3	F1 F2 F3	830605	1900
SHUNT TRIP 24V AC/DC F4 F5	F4 F5	830642	3380
SHUNT TRIP 110V AC/DC F4 F5	F4 F5	830643	3380
SHUNT TRIP 230V AC/DC F4 F5	F4 F5	830644	3470
SHUNT TRIP 415V AC/DC F4 F5	F4 F5	830645	3380

HSN Code: 8538


830606

Product	Frame	Cat Ref	MRP ₹ / Unit
UNDERVOLTAGE 24 V DC F1 F2 F3	F1 F2 F3	830606	2920
UNDERVOLTAGE 110V AC F1 F2 F3	F1 F2 F3	830607	2920
UNDERVOLTAGE 230V AC F1 F2 F3	F1 F2 F3	830608	2920
UNDERVOLTAGE 415V AC F1 F2 F3	F1 F2 F3	830609	2920
UNDERVOLTAGE 24 V DC F4 F5	F4 F5	830646	3010
UNDERVOLTAGE 110V AC F4 F5	F4 F5	830647	3010
UNDERVOLTAGE 230V AC F4 F5	F4 F5	830648	3090
UNDERVOLTAGE 415V AC F4 F5	F4 F5	830649	3010

optium™
ALL THAT YOU NEED
MCCB

Accessories

HSN Code: 8538



830611

Product	Frame	Cat Ref	MRP ₹ / Unit
Rotary Handle Direct	F1	830611	2240
Rotary Handle vary-Depth	F1	830612	2240
Rotary Handle Direct	F2 F3	830626	2540
Rotary Handle vary-Depth	F2 F3	830627	2540
Rotary Handle Direct	F4	830651	3010
Rotary Handle vary-Depth	F4	830652	3010
Rotary Handle Direct	F5	830671	6050
Rotary Handle vary-Depth	F5	830672	6050

HSN Code: 8538



830613

Product	Frame	Cat Ref	MRP ₹ / Unit
Ronis lock Direct RH	F1 F2 F3	830613	2450
Ronis lock Vary-Depth RH	F1 F2 F3	830614	2450
Ronis lock Vary-Depth RH	F4	830653	3200

HSN Code: 8538




830615

Product	Frame	Cat Ref	MRP ₹ / Unit
Padlock Off position	F1 F2 F3	830615	3340
Padlock Off position	F4	830654	3230
Padlock Off position	F5	830674	3230

optium™

ALL THAT YOU NEED
MCCB

Accessories

HSN Code: 8538


830616

Product	Frame	Cat. Nos.	MRP ₹ / Unit
PHASE INSULATOR 3P F1 F2	F1 F2	830616	530
PHASE INSULATOR 3P F3	F3	830628	630
PHASE INSULATOR 3P F4	F4	830655	1100
PHASE INSULATOR 3P F5	F5	830675	1490
PHASE INSULATOR 4P F1 F2	F1 F2	830617	800
PHASE INSULATOR 4P F3	F3	830629	780
PHASE INSULATOR 4P F4	F4	830656	1340
PHASE INSULATOR 4P F5	F5	830676	1760


Accessories

HSN Code: 8538


830618

Product	Frame	Cat. Nos.	MRP ₹ / Unit
Spreaders 3P	F1	830618	600
Spreaders 4P	F1	830619	880
Spreaders 3P	F2 F3	830632	1510
Spreaders 4P	F2 F3	830633	3020
Spreaders 3P	F4	830659	4790
Spreaders 4P	F4	830660	6990
Spreaders 3P 800/1000A	F5	830681	12380
Spreaders 4P 800/1000A	F5	830682	19290
Spreaders 3P 1250A	F5	830685	12880
Spreaders 4P 1250A	F5	830686	18980

Switch on to a reliable partner



Scan to know more
about the product

Optinova provides low-voltage switch disconnectors and transfer switching solutions for safe circuit isolation and reliable power changeover in buildings, industries, and infrastructure.

Features

- Clear indication of mechanism with rotary handles and a padlock for safety
- IP20 protected internal mechanism with DIN-rail or plate mounting options
- High short-time withstand capacity (Icw) and ratings up to 320 A

Benefits

- Simplifies installation & maintenance with compact form factor & snap-fit auxiliaries
- Ensures safe isolation and source changeover, reducing risk of accidents
- Delivers high reliability & uptime through robust design & high short-time withstand ratings

— optinova™ —

4P Switch Disconnecter / Transfer Switching

Equipment - DIN Frame


HSN Code: 8536


824006

Rated Current	Cat Ref.	Description	MRP ₹ / Unit
32A	824006	SD DIN OPTI 63 4P 32A	2900
40A	824007	SD DIN OPTI 63 4P 40A	3070
63A	824008	SD DIN OPTI 63 4P 63A	3640

4P Switch Disconnecter / Transfer Switching

Equipment - Power Frame

HSN Code: 8536


824082

Rated Current	Cat Ref.	Description	MRP ₹ / Unit
63A	824082	SD PLATE OPTI 160 4P 63A KIT	5070
100A	824083	SD PLATE OPTI 160 4P 100A KIT	7070
125A	824084	SD PLATE OPTI 160 4P 125A KIT	7650
160A	824085	SD PLATE OPTI 160 4P 160A KIT	9690
200A	824086	SD PLATE OPTI 320 4P 200A KIT	12120
250A	824087	SD PLATE OPTI 320 4P 250A KIT	15220
320A	824088	SD PLATE OPTI 320 4P 320A KIT	16910

4P Switch Disconnecter / Transfer Switching

Equipment - DIN Frame


HSN Code: 8536


824106

Rated Current	Cat Ref.	Description	MRP ₹ / Unit
32A	824106	TSE DIN OPTI 63 4P 32A	5480
40A	824107	TSE DIN OPTI 63 4P 40A	6130
63A	824108	TSE DIN OPTI 63 4P 63A	6830

— optinova™ —


4P Switch Disconnecter / Transfer Switching Equipment - Power Frame

HSN Code: 8536


824182

Rated Current	Cat Ref.	Description	MRP ₹ / Unit
63A	824182	TSE PLATE OPTI 160 4P 63A KIT	7960
100A	824183	TSE PLATE OPTI 160 4P 100A KIT	9910
125A	824184	TSE PLATE OPTI 160 4P 125A KIT	14870
160A	824185	TSE PLATE OPTI 160 4P 160A KIT	16580
200A	824186	TSE PLATE OPTI 320 4P 200A KIT	19810
250A	824187	TSE PLATE OPTI 320 4P 250A KIT	28340
320A	824188	TSE PLATE OPTI 320 4P 320A KIT	30180

4P Switch Disconnecter / Transfer Switching Equipment - Power Frame

HSN Code: 8536


824192

Rated Current	Cat Ref.	Description	MRP ₹ / Unit
63A	824192	TSE PLATE OPTI 160 4P 63A ENC	11590
100A	824193	TSE PLATE OPTI 160 4P 100A ENC	15160
125A	824194	TSE PLATE OPTI 160 4P 125A ENC	21300
160A	824195	TSE PLATE OPTI 160 4P 160A ENC	23410
200A	824196	TSE PLATE OPTI 320 4P 200A ENC	27210
250A	824197	TSE PLATE OPTI 320 4P 250A ENC	36230
320A	824198	TSE PLATE OPTI 320 4P 320A ENC	39060

Accessories - DIN Frame

HSN Code: 8538


824201

Product	Cat Ref.	Description	MRP ₹ / Unit
Shorting links 63A for TSE	824201	OPTI Shorting links F1 4P DIN	1050
Auxiliary contact Simultaneous (1 NO + 1 NC)	824208	OPTI Auxcont 1No+1NC F1&2 DIN	550
Handle Vary Depth KIT IP54	824209	OPTI Handle Depth KIT F1&2DIN	1540
SD Direct Handle	824215	OPTI Handle Direct F1&2 DIN	1230
TSE Direct Handle	824217	OPTI TSE Handle Dir F1&2DIN	1230

— optinova™ —

Accessories - Frame 2- 320A

HSN Code: 8538


824230

Product	Cat Ref.	Description	MRP ₹ / Unit
Handle Direct	824230	OPTI Handle Direct	1290
Handle Vary Depth	824231	OPTI Handle Vary Depth	1840
Spreader terminals (one side only)	824238	OPTI Sprder termi F2 4P_1Side	2400
Inter source barrier for TSE	824239	OPTI Intersourcebar F2(3P&4P)	500
Shorting Link for TSE	824241	OPTI Linking bridge-4P	4410
Phase Barriers	824243	OPTI Phase Barriers F2 4P	310
Aux contact Simultaneous (4 NO + 4 NC)	824245	OPTI Auxcontact SimulTan F1&2	1540

Accessories - Frame 1- 160A

HSN Code: 8538


824249

Product	Cat Ref.	Description	MRP ₹ / Unit
Shorting Link for TSE	824249	OPTI Linking bridge-4P	2950
Phase Barriers	824251	OPTI Phase Barriers F1 4P	240
Inter source barrier for TSE	824252	OPTI Intersourcebar F1(3P&4P)	310
Spreader terminals (one side only)	824254	OPTI Sprder termi F1 4P-1Side	1200

HRC Fuse Links & Bases

Bolted Type (BS) Breaking Capacity ≥ 80kA 500 V AC 50 Hz.

HSN Code: 8536


Rating	Type	Cat Ref.	Tag Type	MRP ₹ / Unit	Unit/Carton
2, 4, 6, 8, 10, 16A	FGN	IEFGN***	Offset	120	20
2, 4, 6, 10, 16, 20, 25, 32A	FSA	IEFSA***	Offset	190	10
35, 40, 50, 63A	FSS	IEFSS***	Offset	210	10
50, 63, 80, 100, 125, 160A	FSDCP	IEDCP***	Offset	460	10
100, 125, 160, 200, 250A	FSFP	IESFP***	Offset	650	3
50, 63, 80, 100, 125A	FSDC	IESDC***	Offset	460	10
100, 125, 160, 200, 250A	FSF	IEFSF***	Central	670	3
225, 250, 300, 315, 320A	FSK	IEFSK***	Central	960	3
355, 400A	FMF	IEFMF***	Central	1860	3
355, 400, 450, 500, 560, 600, 630A	FTS	IEFTS***	Central	2150	1
355, 400, 450, 500, 560A	FTM	IEFTM***	Central	2780	1
600, 630A	FTM	IEFTM***	2 Central	3820	1

— optinova™ —

DIN Type Breaking Capacity ≥ 80kA 500 V AC 50 Hz.

HSN Code: 8536


Rating	Type	Cat Ref.	Tag Type	MRP ₹ / Unit	Unit/Carton
2, 4, 6, 10, 16, 20, 25, 32, 50, 63A	Size 000	IWS00***	6	570	6
2, 4, 6, 10, 16, 20, 25, 32, 36, 40, 50, 63A	Size 00	IW000***	6	600	6
80, 100A		IW000***	6	630	6
125, 160A		IW000***	6	670	6
32, 36, 50, 63, 80, 100, 125, 160, 200A	Size 01	IW001***	3	1110	3
250A		IW001250	3	1270	3
100, 125, 160, 200, 250, 315A	Size 02	IW002***	3	1620	3
400A		IW002400	3	1760	3
315, 355, 400, 425A	Size 03	IW003***	3	2230	3
500, 630A		IW003630	3	2600	3

*HRC fuses with SC breaking capacity 120kA are available on request.

Cylindrical Type (IFRH) Breaking Capacity > 80kA 415 V AC.

HSN Code: 8536


Rating Amps	Cat Ref.	MRP ₹ / Unit
2 to 25A	IFRH0***	250
32 to 40A	IFRH0***	250
50A	IFRH0050	470
63A	IFRH0063	480
Fuse Holder Fr type (2 to 63A)	IFR00***	450

Fuse Fittings For Bolted (BS) Type

HSN Code: 8536

Rating Amps	Front Connection	MRP ₹ / Unit
20A	BFFC0020	270
32A	BFFC0032	480
63A	BFFC0063	680
100A	BFFC0100	1760

Fuse Fittings For Bolted (BS) Type

HSN Code: 8536

Rating Amps	Back Busbar Connection	MRP ₹ / Unit
20A	BFBC0020	290
32A	BFBC0032	490
63A	BFBC0063	730
100A	BFBC0100	1810
20A (Stud Type)	BFFCS020	390

Ambidex

Fuse Bases for DIN Type HRC fuse links

HSN Code: 8536


Rating	Type	Cat Ref.	MRP ₹ / Unit	Unit/Carton
6-160A	Size - 00	IWFB0***	770	6
32-250A	Size - 1	IWFB1***	1480	2
100-400A	Size - 2	IWFB2***	2220	2
315-630A	Size - 3	IWFB3***	2810	2

Switch Disconnecter Fuses

HSN Code: 8536


Rated Current	Type	IN OPEN EXECUTION*		IN SHEET STEEL ENCLOSURE		Recommended HRC Fuse IndoAsian Make
		Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit	
32A BS	TPN	INO1A032	2950	INS1A032	6010	FSA
63A BS	TPN	INO1A063	4080	INS1A063	7670	FSS
100A BS	TPN	INO1A100	8970	INS1A100	12560	FSDCP
125A BS	TPN	INO1A125	10070	INS1A125	15040	FSDCP
160A BS	TPN	INO1A160	12190	INS1A160	16800	FSDCP
200A BS	TPN	INO1A200	15160	INS1A200	19530	FSF
250A BS	TPN	INO1A250	17110	INS1A250	22590	FSF
315A BS	TPN	INO1A315	21930	INS1A315	28200	FSK
400A BS	TPN	INO1A400	27220	INS1A400	33660	FMF
32A BS	TPSN	INO1B032	3750	INS1B032	6350	FSA
63A BS	TPSN	INO1B063	4760	INS1B063	7500	FSS
100A BS	TPSN	INO1B100	11030	INS1B100	14060	FSDCP
125A BS	TPSN	INO1B125	12080	INS1B125	15040	FSDCP
160A BS	TPSN	INO1B160	15110	INS1B160	19440	FSDCP
200A BS	TPSN	INO1B200	17200	INS1B200	21520	FSF
250A BS	TPSN	INO1B250	18760	INS1B250	24150	FSF
315A BS	TPSN	INO1B315	26540	INS1B315	33730	FSK
400A BS	TPSN	INO1B400	31400	INS1B400	35090	FMF
32A DIN	TPN	IN1OA032	3100	IN1SA032	5720	Size 000
63A DIN	TPN	IN1OA063	4300	IN1SA063	7280	Size 000
100A DIN	TPN	IN1OA100	9200	IN1SA100	12410	Size 00
125A DIN	TPN	IN1OA125	10510	IN1SA125	15000	Size 00
160A DIN	TPN	IN1OA160	12640	IN1SA160	16480	Size 00
200A DIN	TPN	IN1OA200	15790	IN1SA200	18750	Size 01
250A DIN	TPN	IN1OA250	17680	IN1SA250	22570	Size 01
315A DIN	TPN	IN1OA315	22710	IN1SA315	28100	Size 02
400A DIN	TPN	IN1OA400	28000	IN1SA400	33310	Size 02
630A DIN	TPN	IN1OA630	44110	IN1SA630	47500	Size 03
800A DIN	TPN	IN1OA800	53780	IN1SA800	67240	Size 03
32A DIN	TPSN	IN1OB032	4390	IN1SB032	5890	Size 000

Ambidex

Switch Disconnecter Fuses

HSN Code: 8536

Rated Current	Type	IN OPEN EXECUTION*		IN SHEET STEEL ENCLOSURE		Recommended HRC Fuse IndoAsian Make
		Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit	
63A DIN	TSPN	IN1OB063	5060	IN1SB063	6360	Size 000
100A DIN	TSPN	IN1OB100	11350	IN1SB100	12700	Size 00
125A DIN	TSPN	IN1OB125	12570	IN1SB125	13660	Size 00
160A DIN	TSPN	IN1OB160	14730	IN1SB160	18270	Size 00
200A DIN	TSPN	IN1OB200	17110	IN1SB200	19280	Size 01
250A DIN	TSPN	IN1OB250	19600	IN1SB250	22090	Size 01
315A DIN	TSPN	IN1OB315	26240	IN1SB315	30050	Size 02
400A DIN	TSPN	IN1OB400	30500	IN1SB400	37520	Size 02
630A DIN	TSPN	IN1OB630	48960	IN1SB630	51320	Size 03
800A DIN	TSPN	IN1OB800	56600	IN1SB800	73960	Size 03

*Price does not include HRC Fuse

Switch Disconnecter Fuses

HSN Code: 8536

Rated Current	IN OPEN EXECUTION*		IN SHEET STEEL ENCLOSURE	
	Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit
400A	IN1SD400	22320	IN3ED400	35300
630A	IN1SD630	30970	IN4ED630	51500
800A	IN1SD800	36880	IN4ED800	59650

Changeover Switches

On-Load Changeover Switches 4 Pole

HSN Code: 8536

Rated Current	IN OPEN EXECUTION*		IN SHEET STEEL ENCLOSURE	
	Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit
400A	ICAE0400	47110	ICAS0400	74000
630A	ICAE0630	55500	ICAS0630	79300
800A	ITAE0800	77770	ITAS0800	116730
1000A	ITAE1000	140680	ITAS1000	195640
1250A	ITAE1250	188800	ITAS1250	270090
1600A	ITAE1600	216800	ITAS1600	358380
2000A	ITAE2000	317030	ITAS2000	441560
2500A	ITAE2500	436160	ITAS2500	585700
3150A	ITAE3150	448260	ITAS3150	760330



Ambidex

Changeover Switches

On-Load Changeover Switches 4 Pole

HSN Code: 8536

Rating Amps	Cat Ref.	MRP ₹ / Unit
Aux.Switch 200A-630A(1NO+1NC)	ICA00AUX	320
SPREADER LINK FRAME00-4 LINKS	ICA00SPL	520

On-Load Switch Fuse Changeover

HSN Code: 8536

IN OPEN EXECUTION*			IN SHEET STEEL ENCLOSURE		
Rated Current	Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit	Recommended HRC Fuse IndoAsian Make
125A	ITBE0125	21960	ITBS0125	33570	FSDCP
200A	ITBE0200	40130	ITBS0200	59580	FSF
250A	ITBE0250	40510	ITBS0250	60140	FSK
320A	ITBE0320	41820	ITBS0320	62090	FSK
400A	ITBE0400	60580	ITBS0400	89940	FTS
630A	ITBE0630	70710	ITBS0630	104970	FTS



*Price does not include HRC Fuse

On-Load By-Pass Switches

HSN Code: 8536

IN OPEN EXECUTION*			IN SHEET STEEL ENCLOSURE	
Rated Current	Cat Ref.	MRP ₹ / Unit	Cat Ref.	MRP ₹ / Unit
125A	ITCE0125	31250	ITCS0125	42190
200A	ITCE0200	39790	ITCS0200	53720
250A	ITCE0250	57800	ITCS0250	78040
320A	ITCE0320	60020	ITCS0320	81030
400A	ITCE0400	90040	ITCS0400	121550
630A	ITCE0630	102290	ITCS0630	138100

*Price does not include HRC Fuse

Off Load Changeover Switch

HSN Code: 8536

Rating	Cat Ref.	MRP ₹ / Unit
32A (DP)	OFDP0032	2830
16A	OFFP0016	4540
32A	OFFP0032	4740
63A	OFFP0063	9620
100A	OFFP0100	18790
125A	OFFP0125	26420
200A	OFFP0200	28530
250A	OFFP0250	36340
315A	OFFP0315	37520
400A	OFFP0400	43770



- With enclosure
- Rated Voltage - 415V-AC 50Hz
- Type - FP

*Prices for spares of Rewirable Switch Fuse Unit like Action Bar, Base Plate, End Shield, Bakelite Contact. Shrouds are available on request.

GENERAL TERMS

- This price list supersedes all previous price lists.
- All prices are in Indian Rupees only.
- All prices are Maximum Retail Prices (MRP) inclusive of GST as applicable.
- Our discount structure is exclusive of GST.
- Orders will be accepted in multiples of standard packing.
- Prices are subject to change without notice. All despatches will be as per prices prevailing on the date of despatch. Prices are ex-godown, exclusive of packing, forwarding, freight and insurance.
- Product design is subject to change without notice for continuous up-gradation.
- Despatch, if any, are subject to Delhi Jurisdiction only.
- Company reserves the right to issue amendments which may arise due to any printing errors in the price list.

WARRANTY

IA products carry a warranty against manufacturing defects, subject to use of the product for the right application, with correct wiring/connection and normal operating conditions. Please refer to detailed Winderian warranty policy effective 1 Jan 2026.

MCBs	36 Months
RCCBs	36 Months
DBs / ACCL	12 Months
HRC Fuses	6 Months
MCCBs / BTFF Fuse Bases / Changeover Switchgears / SDF	12 Months
Time Switches	12 Months
For Wiring Devices – Switches & Socket	120 Months
Bulk Head / Ceiling Rose	12 Months
For Wiring Devices – Electronic Products (2.4 Fan Regulator, Dimmer, Buzzer, RJ45, RJ11 & TV Sockets, Bell Indicator, Motor Starter, Skirting Light)	24 Months

CHANNEL PARTNER

CORPORATE OFFICE: V. J. Business Towers, A-6, 1st Floor, Sector-125, Noida-201301, U.P., India.

Corporate Office: V-1, Business Towers, A-4, 4th Floor, Sector-125, Noida-201301, U.P., India. Ph.: +91-0120-3305111 E-mail: customer.care@indoasian.com, international@indoasian.com Website: www.indoasian.com
Customer Care Head: Novateur Electrical & Digital Systems Pvt. Ltd., V. J. Business Towers, A-6, 1st Floor, Sector-125, Noida-201301, U.P., India. Ph.: +91-0120-3305100 Toll Free no. 1800 103 7077 E-mail: customer.care@indoasian.com

NORTH

Regional Sales Office –

DELHI NCR
V. J. Business Towers
A-6, Ground Floor,
Sector-125, Noida-201303
Ph.: 0120-6858900

Branch Office –

CHANDIGARH
SCO No. 6, 2nd Floor,
Madhya Marg, Sector 26,
Chandigarh-160019

Branch Office –

JAIPUR
433, 4th Floor, Ganpati Plaza,
M. I. Road, Jaipur-302001
Ph.: 0141-4113528

Branch Office –

LUCKNOW
NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LIMITED
107 B & C, 1st Floor, Ratan Square
20- A Vidhan Sabha Marg, Lucknow – 226001
Uttar Pradesh Telephone No.: 0522 4013210

SOUTH

Regional Sales Office –

BENGALURU
787, 1st Floor "Skyline Vista" 15th Cross,
100 Feet Ring Road, J P Nagar 1st Phase,
Bangalore-560 078
Tel: 080-46219999
E-Mail: in-bangalore-office@indoasian.com

Branch Office –

COCHIN
Door No.65/1317, Syda Building,
2nd Floor, Kaloor-Kadavanthra Road,
Kaloor, Ernakulam District,
Kochi-682017 (Kerala)
Ph.: 0484-4055581-88
E-Mail: in-cochin-office@indoasian.com

Branch Office –

COIMBATORE
Door No. 83,
Dr. Nanjappa Road,
Coimbatore-641018
Ph.: 0422-2302715
E-Mail: in-coimbatore-office@indoasian.com

Branch Office –

CHENNAI
No.5, 1st Floor, Mahalingapuram Main Road,
Nungambakkam,
Chennai-600034
Ph.: 044-28172096, 28170527
E-Mail: in-chennai-office@indoasian.com

Branch Office –

HYDERABAD
312, 3rd Floor,
Amrutha Estates,
Himayath Nagar,
Hyderabad-500029
Ph.: 040-66742425
E-Mail: in-secunderabad-office@indoasian.com

WEST

Regional Sales Office –

MUMBAI
401 & 408, K.P. Arrum,
Marol Maroshi Road, Andheri East,
Mumbai-400059
Ph.: 022-61035800
E-Mail: in-mumbai-office@indoasian.com

Branch Office –

AHMEDABAD
102, 1st Floor, Shivalik High Street,
Near Mansi Circle, Vastrapur,
Ahmedabad-380015
Ph.: 079-29701351-53
E-Mail: in-ahmedabad-office@indoasian.com

Branch Office –

INDORE
Tower B, 403 – The One
Ravindra Nath Tagore Marg,
Indore- 452001
Ph.: 0731-4677510
E-Mail: in-indore-office@indoasian.com

Branch Office –

PUNE
311, Pride Silicon Plaza, Bhamburda,
Shivaji Nagar, Senapati Bapat Marg,
Pune-411016
Ph.: 8087610722
E-Mail: in-pune-office@indoasian.com

EAST

Regional Sales Office –

KOLKATA
Raikva Building" Room No. 8, 2nd Floor,
3A Ram Mohan Garden Lane, Beliaghata E.M.Bypass,
Kolkata-700010
Ph.: 033-66041503
E-Mail: in-kolkata-office@indoasian.com



WESUPPORT

E-mail: customer.care@indoasian.com

