



Off Load Changeover Switch

Reliable Switching

A Comprehensive range of General Purpose Off Load Change Over Switches, with side handle operation, suitable for General Industrial application, for safe and reliable power continuity from Main supply to other source of supply and vice versa.

Features:

*Design Ensures - Long Life and consistent performance. Ideally suitable. Individual Installation or for use in Power Distribution in commercial/ domestic buildings and industrial applications.

*The Enclosures are made of CRCA Sheet Steel, which are robustly built to meet adverse mechanical Conditions. Also Duly Pre-treated and Powder coated to give lasting surface protection- in adverse climate condition.

*All Current Carrying parts are made from High Conducting ETP Copper and bright Tin/ Silver Plated. This resulting suitability of carrying rated current with a very low Temperature rise. Also All Fixed Contacts are housed with fuse resistant phenolic moulded base, for ensuring fully isolation.

*All Units are fitted with strong and robust operating handle which drive the specially designed quick make - break mechanism, incorporating with powerful operating springs. This ensures longer life.

*Change Over Switches up to 100A have terminals of block design suitable for pin/ bottle type lugs or with bare flexible conductor and above 100A are of terminal strip/ busbar design suitable for palm type lugs. Ample Cabling space provided to terminate copper or aluminum cables with sufficient knock outs in detachable gland plates.


*To provide sure safety to operator- Door Interlock is Provided which ensures that the door can not be Opened when the unit is in ON position of any one switches.

*All Enclosures are fitted with top and bottom- detachable type Gland plate, with adequate knock-out hole for easy termination.



Ranges & Order Booking Codes:

| Rating | Pole | Catalogue References |
|--------|------|----------------------|
| 32A | DP | OFDP0032 |
| 16A | FP | OFFP0016 |
| 32A | FP | OFFP0032 |
| 63A | FP | OFFP0063 |
| 100A | FP | OFFP0100 |
| 125A | FP | OFFP0125 |
| 200A | FP | OFFP0200 |
| 250A | FP | OFFP0250 |
| 315A | FP | OFFP0315 |
| 400A | FP | OFFP0400 |



| Item Name | W | H | D | HM | VM |
|---------------------|-----|-----|-----|-----|-----|
| OFDP0032 / OFDP0016 | 135 | 215 | 105 | 95 | 175 |
| OFFP0032 / OFFP0016 | 210 | 215 | 105 | 170 | 175 |
| OFFP0063 | 270 | 315 | 127 | 200 | 238 |
| OFFP0100 | 405 | 305 | 139 | 340 | 238 |
| OFFP0125 | 405 | 305 | 139 | 340 | 238 |
| OFFP0200 | 425 | 495 | 254 | 345 | 395 |
| OFFP0250 | 425 | 495 | 254 | 345 | 395 |
| OFFP0315 | 425 | 495 | 254 | 345 | 395 |
| OFFP0400 | 510 | 596 | 325 | 555 | 485 |

All Dimensions are in mm.



Indoasian's network of channel partners and distributors span 60 countries in Africa, Middle East, Far East, Asia Pacific, Europe and Oceania.



CORPORATE OFFICE:

V. J. Business Towers, A-6, 1st Floor, Sector-125, Noida-201301, U.P., India.
Tel.: +91-0120-3305100 Email: international@indoasian.com Website: www.indoasian.com